Equipment Available for Shoots at Studio 10

All of our equipment is in pristine condition, and is for use onsite at Studio 10, most of which is included in studio rental fees.

NB - If any gear is requested offsite, Studio 10 Grip/Gaffer will be required to be hired with gear, and day rate for same will be added to rental costs.

Constant Lights and Modifiers;

Item	Accessories	Quantity Available	Description	€ Rental per item per day
		2	Aputure LS 300D MkII kit	45
200 Pro		2	Aputure LS 600D Pro kit	55
		1	Aputure LS 1200D Pro kit NB - Combo stand is required with this due to mounting system on light, please find combo stand information on page 9 below. This light cannot be used with a C Stand.	75

T.	3	Aputure Light Dome MkII 89cm Diameter Circular Softbox, 60cm Depth, 32-sided (16 rods) 2 Types of Front Diffusion (1.5 Stop & 2.5 Stop) 45° Honeycomb Light Control Grid	10
	1	Aputure Light Dome 150 150cm Diameter Circular Softbox, 80cm Depth, 32-sided (16 rods) 2 Types of Front Diffusion (1.5 Stop & 2.5 Stop) 45° Honeycomb Light Control Grid	20
Alasena (Paris)	2	Aputure Lantern 66 66cm Diameter Omnidirectional Soft Light Modifier 1-Stop Diffusion Bowens Mount	10
	1	Aputure Lantern 90 90cm Diameter Omnidirectional Soft Light Modifier 1-Stop Diffusion Bowens Mount	12
	1	Aputure F10 Fresnel Lens 10" (250mm) Glass Fresnel Lens increases light output from Aputure lights up to 10x - cannot be used with softboxes - can be used with or without Barn Doors below.	15

and the state of t	1	Aputure F10 Barn Doors Features an 8 leaf design, including four smaller flags that can rotate in or out, adjusting the shape of the light output. Can also be used with an F10 Fresnel lens	12
	2	Reflector Dish with Honeycomb Grid Set 7 inch standard dish, Bowens Mount, with set of five assorted honeycomb grids	7
ananaty .	1	Aputure Strip Box 30 x 120cm Bowens Mount Softbox with 4-rod construction 1,5 Stop & 2,5 Stop 45° Control Grid	10
	1	Aputure Spotlight Mount 36 degrees The world's first Bowens mount spotlight, with a focusable 36 degree lens, which has a diameter of 180cm at a 3m distance, and is able to be further customised using the internal shutters. This modifier can also take gels, iris and gobos as follows;	30
	1	Aputure Iris for Spotlight Mount Iris with 18 aperture blades Continuous variation of the light beam	Included with above
	13 asstd	Gobo Set for Spotlight Mount B-size (Diameter: 6.6cm (2.6 inch)) Actual diameter of the shapes 8,6 cm Selection includes "Fireworks," "Linear," "Dot," "Church Window," "Modern Window," "Fire," "Scatter," "Lightning," "Ripple," and "Grille."	Included with above

S'AAS	1 set (4 lights)	Aputure AL-MC 4 4x Aputure RGBWW Mini LED Light with Precision Color Quality 1,100 lux @ 0.3m/1ft 0-100% Brightness Control CCT Range: 3200K-6500K With built in magnets or can be mounted with spigot	20
	1	LitePanel Astra E 1x1 Daylight LED Panel Dimmable	No charge
	1	LitePanel Astra EP 1x1 Daylight LED Panel Dimmable	No charge
	2	Softbox to fit LitePanels 50x50cm Internal diffusion layer Honeycomb grid	No charge

Flash Lights and Modifiers;

Bolivshoon BRX 500	2	Elinchrom 500W BRX Flash Heads - with EL-Skyport Remote Control Trigger	No charge
--------------------	---	---	-----------

Relation	1	Rotalux 1m Deep Octabox Internal diffusion layers	No charge
	1	Beauty Dish, 55cm Diameter White interior Diffusion cap Honeycomb grid	No charge
The Royal Control of the Control of	1	Square 65cm Portalight Elinchrom Softbox	No charge
	1	Octagonal 50cm Portalight Elinchrom Softbox	No charge
	1	Reflector Dish Elinchrom mount Silver interior Honeycomb grid set	No charge

	1	Snoot Honeycomb grid Coloured gel set	No charge
Li L	1	Polaris Light Meter	No charge

Adaptors;

	2	Adaptor to fit Bowens modifiers to Elinchrom lights	No charge
	2	Adaptor to fit Elinchrom modifiers to Bowens mount lights	No charge

Autocue / Teleprompter;

|--|

To the state of th	1	Lenovo Tablet for Autocue / Teleprompter Scripts can be emailed as plain text in the body of an email (not an attachment), to; studio10dublin@gmail.com for easy copy and paste use on shoot days.	Included with above
	1	Blutooth keyboard Enables easy on the spot editing of scripts	Included with above

Live Streaming;

	1	Black Magic Web Presenter with Teranex Mini Smart Panel Professional hardware streaming engine to stream up to 2160p/60 directly to online platforms. A computer can be connected to use any video software; monitoring output for video image, audio level meter, trend graphs and more.	45
--	---	---	----

Camera Equipment;

CANON MACO 100mm material		Canon EF 100mm f/2.8L Macro IS USM Lens Incredibly sharp lens with macro capabilities. This lens is fantastic for product photography, jewellery shoots and portraiture.	100	
---------------------------	--	--	-----	--

	1	Canon Mount Adapter EF-EOSR This adapter allows EF mount lenses to be paired with Canon R series camera bodies	Included with lens rental if required
CAHOT	1	Canon 250D This is a great vlogging camera with flip out screen. Comes with two batteries and charger for use during your shoot. Either bring own SD cards when renting this camera, or let us know in advance if you need one and we can arrange for you.	65
Canon 5x 24 35 35 - 15 - 24	1	18-55mm f3.5-5.6 Lens Standard kit lens for cropped sensor cameras.	Included with rental of 250D if required
1 A		Tripod	No charge

Stands, Arms, Clamps and Accessories;

12	Manfrotto Avenger C Stands 40" Fixed base C-Stand with 3 sections Min height 1.34m Max height 3.3m	No charge

	10	Manfrotto Avenger Grip Head and Grip Arm for C Stands	No charge
	1	Manfrotto Avenger Steel Wind Up Stand with Combo / Retractable Spigot Head and Braked Wheels Min height 181cm Max height 390cm Max load 30kg	35
	1	Large stand with 2.5m boom arm Load up to 10kg Boom arm has butterfly knob, anti-skid handle and micro adjustment wheel on the handle to adjust angle of light	25
	4	Floor Stands Manfrotto Backlite Mini without Pole	No charge
		Sandbags	No charge

	Manfrotto 055 Super Clamps	No charge
2	Manfrotto 244N Variable Friction Arm	5 each

	1	Manfrotto 143BKT Camera Bracket	No charge
		Baby Pins and Spigots	No charge
7 44		Selection of clamps	No charge

	Backdrop Stands With centre pole or chain mechanism as below	No charge
	Chain Mechanism for Backdrop	No charge

Ladders;

Lauders,	3	Small Step Ladders	No charge
	1	Large 8ft A Frame Wooden Ladder NB, This is useful as a functional ladder, and at 8ft is too large to be used as a prop ladder in photographs	No charge

Light Reflection / Diffusion;

		8 x 4 ft Black/White Polyboards	No charge
	1	Medium Sized Circular Reflector	No charge
Figure Management of the Control of	1	Manfrotto Pro Scrim All in One Kit 2m x 2m 1x lightweight frame, 3x textile covers; (black, double-sided silver/white bounce and 1.25 stop diffuser OR .75 stop diffuser), 2x grip heads, 2x ears and carry case - Can be rigged on two C stands	35

Backdrops;

	Colorama / Savage 9ft wide continuous paper backdrops Please refer to current selection HERE to choose backdrops for your shoot	50 each
--	---	---------

Product Photography / Video;

	Turntable - 42cm diameter, can support up to 100kg Four coloured covers cut to size and shape available, (or make your own) Remote control, with speed control, reverse, or degrees of rotation selection Quiet operation	15
Prop Wax* Use to support small subjects covers by sam roots or root.	Prop Wax - invisible support for small items	15 for 6g box 5 per stick

Daylight / Blackout Setup;

	Both studios have very large South facing bay windows with diffusion scrim ready for use, turning the windows into massive softboxes, both rooms also have optional roller blackout blinds fitted. Additional blackout drapes are available for either space on prior request.
ND Filters on window	Neutral Density filter film can be fitted to the window on the second floor if using daylight setup, in order to reduce light coming in through the window which allows window to be included in shot. Film is 4ft high, and the blinds can be dropped to this height to cover the top part of the window which is not covered by film.

Sound Reduction:



Despite the City Centre location, the big old building that is Studio 10 is surprisingly quiet inside. If recording sound, you will be recommended to use the second floor space, as this has carpet and a better acoustic for such. If required, the second floor studio space can be set up to further reduce sound by an additional four decibels (only when using blackout) - by prior request.

50

Set Design;



Discuss your requirements and ideas with us and we will help you create it!

POA

All prices ex VAT

If you can't see what you want, just ask - we probably have it, and if not, we can get it for you!



10 Wicklow St, Dublin 2 www.studio10dublin.ie studio10dublin@gmail.com / 086 3351 4303